RECOMMENDED INSTALLATION HEIGHT FOR EACH VAN MODEL



KEEP YOUR VAN SAFE.



WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROEN

Nemo (2007-2013) Berlingo (> 2018) Jumpy (> 2017) Jumper (> 2014)
DACIA Dokker (2013-2021)
FIAT
Fiorino (> 2007)
Doblò (> 2009)
Talento (2016-2020)
Scudo (> 2021)
Ducato (> 2014)

FORD

Courier (> 2013)
Connect (> 2014)
Custom (> 2012)
Transit (> 2014)

HYUNDAI

H350 (> 2016)

IVECO

Daily (> 2014)
MAN
TGE 3140 (> 2017)
MAXUS
Edeliver 3 (> 2018) Edeliver 9 (> 2019)
MERCEDES

Citan (<= 2021)
Citan (> 2021)
Vito (> 2014)
Sprinter (> 2018)

NISSAN

E-nv 200 (2014-2021) 2	7
Nv 250 (2019-2021) 28	8
Townstar Van (> 2021) 29	9
Primastar / nv-300 (>2016) 30	0
Interstar (2022) 3	57

OPEL

Combo (> 2018)	32
Vivaro B (2014-2019)	33
Vivaro C (> 2019)	34
Movano (> 2022)	35

PEUGEOT

Bipper (2007-2016)	36
Partner (> 2018)	37
Expert (> 2016)	38
Boxer (> 2014)	39

RENAULT

Kangoo (2008-2021)	40
Kangoo Van (>2021)	41
Express Van (> 2020)	42
Trafic (> 2014)	43
Master (> 2019)	44

ΤΟΥΟΤΑ

Proace City (> 2020)	45
Proace (> 2016)	46

VOLKSWAGEN

Caddy (> 2021)	47
Transporter (> 2014)	48
ID-Buzz (> 2022)	49
Crafter (> 2016)	50








CITROËN NEMO 2007-2013



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR










CITROËN BERLINGO > 2018



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR










CITROËN JUMPY > 2017



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR











CITROËN JUMPER > 2014



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm








DACIA

DACIA DOKKER 2013-2021



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR










FIAT FIORINO > 2007







Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR











FIAT DOBLÒ > 2009



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template











FIAT TALENTO 2016 - 2020



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm








FIAT SCUDO > 2021



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR











FIAT DUCATO > 2014



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm






FORD COURIER > 2013

STOR N



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR








FORD CONNECT > 2014






INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm






FORD CUSTOM > 2012



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template





INSTALLATION ON THE LATERAL DOOR








FORD TRANSIT > 2014



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.


Distance from the bumper to the central axis of the drill template





INSTALLATION ON THE LATERAL DOOR











HYUNDAI H350 > 2016



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm






IVECO DAILY > 2015






INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm








MAN TGE > 2017







Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm

INSTALLATION ON THE LATERAL DOOR








MAXUS EDELIVER 3 > 2018





INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm

INSTALLATION ON THE LATERAL DOOR











MAXUS EDELIVER 9 > 2019



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm








MERCEDES CITAN <= 2021






For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






MERCEDES CITAN > 2021






INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm









MERCEDES VITO > 2014



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm








MERCEDES SPRINTER > 2018







Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm

INSTALLATION ON THE LATERAL DOOR










NISSAN E-NV 200 2014 - 2021



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill **9** template

93 cm

INSTALLATION ON THE LATERAL DOOR










NISSAN NV 250 2019 - 2021






For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






NISSAN TOWNSTAR VAN > 2021





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template INSTALLATION ON THE LATERAL DOOR










NISSAN PRIMASTAR > 2022







Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR











NISSAN INTERSTAR > 2022





INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm






OPEL COMBO > 2018






INSTALLATION ON THE REAR DOOR



INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm








OPEL VIVARO B 2014 - 2019



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR










OPEL VIVARO C > 2019



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR











OPEL MOVANO > 2022



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template










PEUGEOT BIPPER 2007 - 2016



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR










PEUGEOT PARTNER > 2018



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR










PEUGEOT EXPERT > 2016



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR











PEUGEOT BOXER > 2014



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm








RENAULT KANGOO 2008 - 2021



INSTALLATION ON THE REAR DOOR





For the "Short" version of the van we recommend using additional fixing plates. Reference 89530017.






RENAULT KANGOO VAN > 2021



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm

INSTALLATION ON THE LATERAL DOOR










RENAULT EXPRESS VAN > 2020



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm

INSTALLATION ON THE LATERAL DOOR










RENAULT TRAFIC > 2014



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template




INSTALLATION ON THE LATERAL DOOR











RENAULT MASTER > 2019



INSTALLATION ON THE REAR DOOR




INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template











TOYOTA PROACE CITY > 2020



INSTALLATION ON THE REAR DOOR



INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm








TOYOTA PROACE > 2016



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm

INSTALLATION ON THE LATERAL DOOR










VOLKSWAGEN CADDY > 2021



INSTALLATION ON THE REAR DOOR




Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR










VOLKSWAGEN TRANSPORTER > 2014



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



INSTALLATION ON THE LATERAL DOOR










VOLKSWAGEN ID-BUZZ > 2022



INSTALLATION ON THE REAR DOOR





Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm

INSTALLATION ON THE LATERAL DOOR











VOLKSWAGEN CRAFTER > 2016



INSTALLATION ON THE REAR DOOR



INSTALLATION ON THE LATERAL DOOR



Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template



